Electrolux 900 thermaline h = 800 mm

Gas top on gas oven

The Electrolux 900-Thermaline of cooking equipment is designed very heavy duty requirements of hotels, institutions, hospitals, central kitchens, in-flight kitchens and cruise ships. The series consist of a wide choice of modular elements that can be installed as individual, free-standing units or assembled into a complete cooking suite made virtually seamless by means of cleverly-designed connecting rails.
The models detailed on this sheet combine a gas burner top mounted on a gas oven, with models available for operation from one side only or from both sides to suit a central cooking island. Installation options are floor mounted on 100 or 200 mm high feet or a plinth which can be either steel or masonry construction.

581074 with accessories

EASY TO USE
• Five sizes of burners to suit different cooking requirements from rapid boiling to a gentle simmer.
• Manual gas valves with fixed high and low positions allow a precise control of the flame intensity.
• Large sized pan rests (380x380 mm) in enammeled cast iron with long centre fins to allow the use of the largest down to smallest pans.
• The level of the pan rests and the appliance are the same which means it possible to move pans from one appliance to another without lifting.
• Simple, convenient operation with highly visible control panels and knobs.
• Electric roasting and baking oven for two GN2/1 shelves or containers. Individual thermostatic control to upper and lower heating elements.
• Oven temperature up to 350°C.
• Thick steel base plate for the even temperature distribution and storage.
• Optional base plate with a fire clay element provides a very uniform distribution and long term storage of the oven heat; it is beneficial for sensitive patisserie.
• All appliances conform to ruling European safety and hygiene standards and are CE marked.
• All models are type-approved by an international standards authority and are certified.

EASY TO MAINTAIN
• Flat spillage trays in AISI 304 stainless steel with cleaning openings on front and rear side with removable pan supports, burner, rings and flame ignition parts.
• Body, cupboard and rests are made of AISI 304 stainless steel.
• No gaps or dirt traps between adjoining appliances when connecting rails are fitted.
• All major components may be easily accessed from the front.
• The appliances are IP X5 certified against water jets.

Electrolux

thermaline

Electrolux 900 thermaline h = 800 mm
Gas top on gas oven

EASY ON THE ENVIRONMENT
• Models with ECOFLAM pan detection system assure energy saving by limiting unecessary heat radiation in the kitchen.
• 98% recyclable by weight.
• Packing free of toxic substances.

	LG259740E 599358	LG259739E 599357	LG259739 581074	LG259740 581075
TECHNICAL DATA				
Power supply	Gas	Gas	Gas	Gas
Ecoflam	●	●		
One-Side Operated		●	●	
Both-Sides Operated	●			●
External dimensions - mm				
width	1000	1000	1000	1000
depth	900	900	900	900
height	800	800	800	800
Oven cavity - mm				
width	550	550	550	550
depth	700	700	700	700
height	270	270	270	270
Oven				
heat input - kW	7	7	7	7
temperature min-max - °C	100, 340	100, 340	100, 340	100, 340
Back plate dimensions - mm	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440
Back plates power - kW	6.5, 5	6.5, 5	7, 5	7, 5
Front plates dimension - mm	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440
Front plates power - kW	3.6, 6.5	3.6, 6.5	3.6, 7	3.6, 7
Net weight - kg.	160	160	160	170
INCLUDED ACCESSORIES				
BAKING SHEET 2/1GN FOR OVENS	1	1	1	1
GRID, CHROMIUM PLATED, FOR OVENS 2/1 GN	1	1	1	1
PAN REST CAST-IRON-430X380 MM	4	4	4	4
ACCESSORIES				
BOTTOM PL+4 FEET 100MM-800&900MM-SPECIAL	911927	911927	911927	911927
BOTTOM STEEL PLATE 2/1 F.FIRE CLAY PLATE	910655	910655	910655	910655
C-BOARD WELDED 1000 MM		911743	911743	
FIRE CLAY PLATE 2/1GN FOR OVENS	910656	910656	910656	910656
FLEXIBLE CONNECTION HOSE 3/4''	910720	910720	910720	910720
FOLDING SHELF 300X900 MM	910803	910803	910803	910803
FOLDING SHELF 400X900 MM	910804	910804	910804	910804
PAN REST STAINLESS STEEL-430X380 MM	910729	910729	910729	910729
ROLLING RACKS COMPL. F.COOKERS,1000-MAR.	910825	910825	910825	910825
S/S PLINTH 1000X900X100MM - AGAINST WALL		911175	911175	
S/S PLINTH 1000X900X100MM - FREESTANDING	911154	911154	911154	911154
SIMMERING PLATE-430X380 MM	910716	910716	910716	910716
SOLID TOP PLATE F.OPEN BURNER-360X360MM	910718	910718	910718	910718

CEAD010
2010-05-28

Subject to change without notice

Electrolux 900 thermaline h = 800 mm
Gas top on gas oven

599358, 581075







CHG 72.6859.007

CEAD010

2010-05-28

	LG259740E 599358	LG259740 581075
LEGEND		
G - Gas connection	3/4"	3/4"

Subject to change without notice

Electrolux 900 thermaline h = 800 mm
Gas top on gas oven

599357, 581074







CHG 72.6859.006

	LG259739E 599357	LG259739 581074
LEGEND		
G - Gas connection	3/4"	3/4"

CEAD010

2010-05-28

Subject to change without notice